



S6000 Series

Electrified Architectural Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

	TRIM FUNCTION				ELECTRIFICATION		
	01					E	
	02					EM	
	03			LENGTH		G	
	08			36		A	
	14			42		B	
				48			
S61	02	P	U	36	R	E	EK
S61		P	FINISH		R		EK
S62		F			L		GK
					LBR		SP
					LBRF		EKE
					OPTIONS		GKE
							TRIM

NOT REQUIRED

EXAMPLES

S6101PU36E	Rim, Exit Only, Panic, 630, 36", Motorized ELR & Dogging	1,615.00
S6101PU42E	Rim, Exit Only, Panic, 630, 42", Motorized ELR & Dogging	1,667.00
S6101PU48E	Rim, Exit Only, Panic, 630, 48", Motorized ELR & Dogging	1,719.00
S6101PU36G	Rim, Exit Only, Panic, 630, 36", Electric Dogging	1,323.00
S6101PU36A	Rim, Exit Only, Panic, 630, 36", Alarmed Exit, Battery Powered	1,276.00

S6000 CONFIGURATION 1 of 2



S61



S62



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

TYPE		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		799.00
S62	Surface Vertical Rod (SVR)		1,212.00

TRIM FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08*	Key Locks/Unlocks Lever (Classroom)		N/C
14*	Lever Always Active (Passage)		N/C

*Not applicable for use with S6000A or S6000B alarmed exit models.

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		135.00

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		52.00
48	48" Door Opening		104.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		98.00
L	Latch Status (LS)		98.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

*Available for S62 surface vertical rod devices only.

ELECTRIFICATION*		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging		816.00
EM	Motorized Electric Latch Retraction & Dogging, External Module		876.00
G	Electric Dogging		524.00
A	Alarmed Exit, Battery Powered		477.00
B	Alarmed Exit, Hardwired		524.00

*Specify one electrification option only.

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 136-137



Keypads & Readers
Page 101-105



Power Transfer Devices
Page 141



Power Controllers
Pages 142-153



Door Controllers
Page 154



Door Prop Alarms & Annunciators
Page 157-158

S6000 CONFIGURATION 2 of 2

TRIM*		○○○○○○○●	ADD TO LIST
EK**	Eclipse Escutcheon		284.00
GK**	Galaxy Escutcheon		284.00
SP***	Saturn Escutcheon		99.00
EKE****	Electrified Eclipse Escutcheon		650.00
GKE****	Electrified Galaxy Escutcheon		650.00

*Key cylinder not included, specify separately.

** Available for 02, 03, 08 and 14 functions only.

*** Available for 02 and 03 functions only.

**** Available for 03 functions only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Replacement Trim, Eclipse Escutcheon, Dummy, 630	324.00
EK03U	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	324.00
EK08U*	Replacement Trim, Eclipse Escutcheon, Classroom, 630	324.00
EK14U*	Replacement Trim, Eclipse Escutcheon, Passage, 630	324.00
GK02U	Replacement Trim, Galaxy Escutcheon, Dummy, 630	324.00
GK03U	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	324.00
GK08U*	Replacement Trim, Galaxy Escutcheon, Classroom, 630	324.00
GK14U*	Replacement Trim, Galaxy Escutcheon, Passage, 630	324.00
SP02U	Replacement Trim, Saturn Escutcheon, Dummy, 630	118.00
SP03U	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	118.00
EKE03U**	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, 630	801.00
EKE03ULS**	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, LS, 630	899.00
GKE03U**	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, 630	801.00
GKE03ULS**	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, LS, 630	899.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	55.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	55.00
RIM-CYL-KA***	Rim Cylinder, 6-Pin, Keyed Alike	41.00
ST1P	Rim Strike, 1¾" Projection	26.00
ST1F	Rim Strike, 1¾" Projection, Fire-Rated	26.00
ST2DF	Double Door Rim Strike, 1¾" Projection	60.00
ST2P	Vertical Rod Top Strike, 2⅞" Projection	24.00
ST2F	Vertical Rod Top Strike, 1½" Projection, Fire-Rate	24.00
ST28T	Threshold Strike, ¾" Projection	19.00
KR90F****	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	773.00
ST1MP	Mullion Strike, 7/8" Projection	84.00
ST1MF	Mullion Strike, 7/8" Projection	84.00

* Not applicable for use with S6000A or S6000B alarmed exit models.

** Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

*** For EK03U, GK03U and SP03U trim only.

**** Key cylinder not included, order separately.