EXIT ALARM KIT

Add to List

A	Exit Alarm, 9V Battery Powered	**400.00**
B	Exit Alarm with 12/24V AC/DC input (9V battery provides power backup)	**440.00**

Option A & B Exit Alarm
Rim Mount
Vertical Rod
Mortise

Features

- LED (field selectable Active or Off)
  Bypass - No LED
  Armed - Blinks every 4 seconds (Green when armed, Red when in alarm mode
- Low Battery Alert – Siren will beep every 45 seconds.
- 15 or 60 second arming delay
- Remote status output
- Field selectable alarm modes include:
  - › Continuous alarm with manual key reset
  - › Alarm automatically rearms 2 minutes after door closes and may be retriggered. May be manually rearmed by key before automatically rearmed.

Optional

AR6	6 or 10 minute alarm with auto rearm and manual key reset.	**AR20**	20 minute alarm with auto rearm and manual key reset
AD1	1 second arming delay		

DELAYED EGRESS

Add to List

DE, KDE
Rim Mount
Vertical Rod
Mortise

See page 55 for features

DE	Electrification of master exit device and wall mount controller with keypad control and reset	**1250.00**
KDE	Electrification of master exit device and wall mount controller with both keypad and key switch control and reset, less cylinder	**1350.00**
DES	For pair of doors, additional exit device equipped with delayed egress mechanism, less controller. **Must be ordered together with DE and device**.	**500.00**
KDES	For pair of doors, additional exit device equipped with delayed egress mechanism, less controller. **Must be ordered together with KDE and device**	**500.00**

101-DE with SHD-J

Options

DEC-J	3 Gang Interior surface mount box for 101-DEC	**90.00**
SHD-J	Shroud for surface mount box DEC-J outdoor use	**60.00**

DEC-J

Operations

NC	IBC, IFC, NFPA 101, NFPA 1-UFC, UBC, SBC compliant, Fixed 15 second Exit Delay, 0/1 Nuisance Delay, Calif. Building Code OSHPD/Manual Power Up	**N/C**
ND	IBC, IFC, NFPA 101, NFPA 1-UFC, UBC, SBC compliant, Fixed 15 second Exit Delay, 0/1 Nuisance Delay	**N/C**
BC	BOCA National Building Code/City of Chicago Compliant, Fixed 15 second Exit Delay, 0 Nuisance Delay, Auto Reset 30 seconds	**N/C**
BD	BOCA National Building Code, Fixed 15 second Exit Delay, 0/1 Nuisance Delay, Auto Reset 30 seconds	**N/C**

SHD-J
End View

SECURITY DOOR CONTROLS
801 Avenida Acaso • Camarillo, CA 93012
Email: Service@sdcsecurity.com • www.sdcsecurity.com

Price List Effective October 1, 2012