

S6300-101 Series

All-In-One Delayed Egress Mortise Exit Devices

SDC's S6300-101 series all-inone devices integrates the S6300 series mortise exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6300-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

- · Panic and fire rated devices
- · Subdued alternating alarm
- · Push pad activation trigger
- Key switch reset and bypass*
- Low power consumption, energy saver

ORDERING GUIDE

								MODE		
								ND		
								NH		
					LENGTH			NC		TRIM
		RATING			36			BD		OPTIONS
		Р			42			ВН		MS
MODEL		F		FINISH	48	ELECTRI	FICATION	ВС		MF
S63	03	Р	RR	U	36	R	101	ND	EE	MS
	TRIM		RR			R			EE	
ı	UNCTION	N	LR			L			GE	
			HANDING	i		OPTIONS			TRIM	

NOT REQUIRED

EXAMPLES

S6303PRRU36101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", All-In-One, Chicago	2,984.00
S6303FRRU36101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 36", All-In-One, Chicago	3,119.00
S6303PRRU48101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 48", All-In-One, Chicago	3,088.00
S6303FRRU48101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 48", All-In-One, Chicago	3,223.00
S6303PRRU42101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", All-In-One, Chicago	3,036.00

SDD LIT-PL22_041624 | **41**

^{*}Key cylinders not included, order separately. See related products.



S63



Eclipse Trim



Galaxy Trim



Mortise Key Cylinder

S6300-101	CONFIGURATION	1 of 2
30300-101		1 01 2

MODEL		●000000000	LIST\$
S63	Mortise		1,096.00

TRIM FUNCTION	00000000	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)	N/C

RATING	000000000	ADD TO LIST
P	Panic Device Standard	N/C
F	Fire-Rated Device	135.00

HANDING	000•000000	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)	N/C
LR	Left Hand Reverse Bevel (LHRB)	N/C

FINISH	0000000000	ADD TO LIST
U	630 Dull Stainless Standard	N/C

LENGTH	0000000000	ADD TO LIST
36	36" Door Opening ♥standard	N/C
42	42" Door Opening	52.00
48	48" Door Opening	104.00

OPTIONS	00000000000	ADD TO LIST
R	Request-To-Exit (REX)	98.00
L	Latch Status (LS)	98.00

101	All-In-One Delayed Egress	1,604.00
ELECTRIFICATION	000000000000000000000000000000000000000	ADD TO LIST

MODE	0000000	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay @stondard	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
ВН	BOCA Fixed 30 Second Egress Delay	N/C
ВС	Chicago Compliant	N/C

Continued on next page.

42 LIT-PL22_041624

COMPONENT **CONSIDERATIONS**

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers Page 101-105



Power Controllers Pages 142-153



Door Controllers Page 154



Remote Control Consoles Pages 155-156



Door Prop Alarms & Annunciators Page 157-158

CONFIGURATION S6300-101 2 of 2

TRIM*	000000000	ADD TO LIST
EE	Eclipse Escutcheon	284.00
GE	Galaxy Escutcheon	284.00

^{*} Key cylinder not included, order separately.

TRIM OPTIONS*	000000000	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	244.00
MF	Electrified Case, Failsafe Outside Lever	244.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 11/8" Length, Keyed Different	55.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 11/8" Length, Keyed Alike	55.00
ST58P	Retrofit Strike, %" Centerline Offset	20.00
ST58F	Retrofit Strike, %" Centerline Offset, Fire-Rated	20.00
101-SP	External 15 Watt Delayed Egress Speaker	46.00
101-1A	Single Door Indicator, Single Gang	128.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	381.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	381.00
101-PAM	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	403.00

^{*} Key cylinder not included, order separately.