



S6000 Series

Electrified Architectural Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

Trim is ordered separately, see related products.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

FUNCTION				ELECTRIFICATION		
	01					E
	02			LENGTH		EM
	03			36		G
	08			42		A
	14			48		B
S61	02	P	U	36	R	E
S61		P	FINISH		R	
S62		F			L	
					LBR	
					LBRF	
						OPTIONS

NOT REQUIRED

EXAMPLES

S6101PU36E	Rim, Exit Only, Panic, 630, 36", Motorized ELR & Dogging	1,485.00
S6101PU42E	Rim, Exit Only, Panic, 630, 42", Motorized ELR & Dogging	1,510.00
S6101PU48E	Rim, Exit Only, Panic, 630, 48", Motorized ELR & Dogging	1,533.00
S6101PU36G	Rim, Exit Only, Panic, 630, 36", Electric Dogging	1,198.00
S6101PU36A	Rim, Exit Only, Panic, 630, 36", Alarmed Exit, Battery Powered	1,152.00

S6000 CONFIGURATION 1 of 1



S61



S62



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

TYPE		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		685.00
S62	Surface Vertical Rod (SVR)		1,028.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08*	Key Locks/Unlocks Lever (Classroom)		N/C
14*	Lever Always Active (Passage)		N/C

*Not applicable for use with S6000A or S6000B alarmed exit models.

RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00

FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		25.00
48	48" Door Opening		48.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

*Available for S62 surface vertical rod devices only.

ELECTRIFICATION*		○ ○ ○ ○ ○ ○ ●	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging		800.00
EM	Motorized Electric Latch Retraction & Dogging, External Module		858.00
G	Electric Dogging		513.00
A	Alarmed Exit, Battery Powered		467.00
B	Alarmed Exit, Hardwired		513.00

*Specify one electrification option only.

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators

[CLICK TO VIEW](#)



Keypads & Readers

[CLICK TO VIEW](#)



Power Transfer Devices

[CLICK TO VIEW](#)



Power Controllers

[CLICK TO VIEW](#)



Door Controls & Backup Batteries

[CLICK TO VIEW](#)



Door Prop Alarms & Annunciators

[CLICK TO VIEW](#)

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
EK08U*	Eclipse Escutcheon Trim, Classroom, 630	262.00
EK14U*	Eclipse Escutcheon Trim, Passage, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
GK08U*	Galaxy Escutcheon Trim, Classroom, 630	262.00
GK14U*	Galaxy Escutcheon Trim, Passage, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U**	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS**	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U**	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS**	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
RIM-CYL-KA***	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, 1 3/16" Projection	25.00
ST1F	Rim Strike, 1 3/16" Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1 3/16" Projection	57.00
ST2P	Vertical Rod Top Strike, 2 9/32" Projection	23.00
ST2F	Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rate	23.00
ST28T	Threshold Strike, 3/8" Projection	18.00
KR90F****	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, 7/8" Projection	80.00
ST1MF	Mullion Strike, 7/8" Projection	80.00

* Not applicable for use with S6000A or S6000B alarmed exit models.

** Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

*** For EK03U, GK03U and SP03U trim only.

**** Key cylinder not included, order separately.