



S6300-101 Series

All-In-One Delayed Egress
Mortise Exit Devices

SDC's S6300-101 series all-in-one devices integrates the S6300 series mortise exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6300-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

- Panic and fire rated devices
- Subdued alternating alarm
- Push pad activation trigger
- Key switch reset and bypass*
- Low power consumption, energy saver

*Key cylinders not included, order separately. See related products.

ORDERING GUIDE

MODEL		RATING		FINISH		LENGTH		ELECTRIFICATION		MODE		TRIM OPTIONS	
S63	03	P	RR	U	36	R	101	ND	EE	MS	ND	MS	MS
		F											
		HANDING				OPTIONS				TRIM			

NOT REQUIRED

EXAMPLES

S6303PRRU36101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", All-In-One, Chicago	2,799.00
S6303FRRU36101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 36", All-In-One, Chicago	2,928.00
S6303PRRU48101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 48", All-In-One, Chicago	2,847.00
S6303FRRU48101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 48", All-In-One, Chicago	2,976.00
S6303PRRU42101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", All-In-One, Chicago	2,824.00

S6300-101 CONFIGURATION 1 of 2



S63



Eclipse Trim



Galaxy Trim



Mortise Key Cylinder

MODEL	●○○○○○○○○○○○○	LIST \$
S63	Mortise	1,257.00
FUNCTION	○●○○○○○○○○○○	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)	N/C
RATING	○○●○○○○○○○○	ADD TO LIST
P	Panic Device <small>☑Standard</small>	N/C
F	Fire-Rated Device	129.00
HANDING	○○○●○○○○○○○○	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)	N/C
LR	Left Hand Reverse Bevel (LHRB)	N/C
FINISH	○○○○●○○○○○○	ADD TO LIST
U	630 Dull Stainless <small>☑Standard</small>	N/C
LENGTH	○○○○○●○○○○○○	ADD TO LIST
36	36" Door Opening <small>☑Standard</small>	N/C
42	42" Door Opening	25.00
48	48" Door Opening	48.00
OPTIONS	○○○○○○○●○○○○	ADD TO LIST
R	Request-To-Exit (REX)	94.00
L	Latch Status (LS)	94.00
ELECTRIFICATION	○○○○○○○●○○○○	ADD TO LIST
101	All-In-One Delayed Egress	1,542.00
MODE	○○○○○○○○○●○○	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay <small>☑Standard</small>	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers

[CLICK TO VIEW](#)



Power Controllers

[CLICK TO VIEW](#)



Door Controls & Backup Batteries

[CLICK TO VIEW](#)



Remote Control Consoles

[CLICK TO VIEW](#)



Door Prop Alarms & Annunciators

[CLICK TO VIEW](#)

S6300-101 CONFIGURATION 2 of 2

TRIM*	○○○○○○○○○●○	ADD TO LIST
EE	Eclipse Escutcheon	N/C
GE	Galaxy Escutcheon	N/C

*Key cylinder not included, order separately.

TRIM OPTIONS*	○○○○○○○○○●	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	234.00
MF	Electrified Case, Failsafe Outside Lever	234.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Button Reset & Bypass, Double Gang	387.00

*Key cylinder not included, order separately.